Service Name	ASA OUTPATIENT INDIVIDUAL THERAPY- LEVEL 1: ADULT SUBSTANCE USE DISORDER
Setting	Outpatient services are rendered in a professional office, clinic, home or other environment
	appropriate to the provision of substance use services.
Facility License	License as required by DHHS Division of Public Health.
Basic Definition	Outpatient individual substance use disorder therapy describes the professionally directed
	evaluation, treatment, management, and recovery services for individuals experiencing a
	substance related disorder that causes moderate and/or acute disruptions in the individual's life.
Service Expectations	 A substance use disorder (SUD) assessment by a licensed clinician prior to the beginning of treatment.
basic	
expectations for	 If a prior SUD assessment is determined to be clinically relevant and includes a current diagnosis, level of care recommendation and a discharge plan it can serve as the
more detail see	
Title 471	admission assessment. If the prior assessment is not relevant or does not contain the
chapters 20	necessary information than an SUD addendum would be necessary.
chapters 20	All Medicaid eligible individuals will be screened for co-occurring conditions throughout the assessment. If the clinician is a LADC are DLADC and suspects a
	throughout the assessment. If the clinician is a LADC or a PLADC and suspects a
	possible mental health condition, a referral is to be made to a clinician capable of
	diagnosing/treating co-occurring mental health and substance use disorders.
	Individualized treatment, management and recovery plan, including discharge and
	relapse prevention, developed with the individual prior to the beginning of treatment
	(consider community, family and other supports), reviewed on an ongoing basis,
	adjusted as medically necessary, and signed by the team including the individual served.
	 Treatment, assessments, and referrals as necessary to address co-occurring needs.
	Monitoring stabilized co-occurring mental health problems.
	 If the individual has a co-occurring diagnosis it is the provider's responsibility to
	coordinate with other treating professionals.
	 Medication assisted treatment (MAT) as necessary.
	 All staff are to be educated/trained in recovery principles, and trauma informed care.
Length of	Length of treatment is individualized and based on clinical criteria for admission and continued
Service	treatment as well as the individual's ability to benefit from treatment and recovery goals.
Staffing	Appropriately licensed and credentialed professionals (Physician, physician assistant, APRN,
	Psychologist, Provisionally Licensed Psychologist, LIMHP, LMHP, PLMHP, LADC, PLADC) working
	within their scope of practice to provide substance use disorder and/or co-occurring (MH/SUD)
	outpatient treatment.
Staffing Ratio	1:1 individual
Desired	 The individual has met their treatment plan goals and objectives.
Individual	 Individual is able to remain stable without this treatment.
Outcome	 Individual has support systems secured to help the individual maintain stability.
Admission	 The individual is assessed as meeting the diagnostic criteria for an SUD as defined in the
guidelines	most recent DSM as well as all six of the dimensional criteria for admission.
	 There are significant symptoms as a result of the diagnosis that interfere with the
	individual's ability to function in at least one life area.
	There is an expectation that the individual has the capacity to make significant progress
	toward treatment goals or treatment.
	The following six dimensions and criteria are abbreviated. Providers should refer to ASAM
	The following six differsions and effected are appreviated. I fortacts should refer to 7.5/11/1

	 Dimension 1: ACUTE INTOXICATION AND/OR WITHDRAWAL POTENTIAL: Acute Intoxication &/or Withdrawal Potential: Not experiencing withdrawal/minimal risk of severe withdrawal. Dimension 2: BIOMEDICAL CONDITIONS AND COMPLICATIONS: Biomedical Conditions & Complications: None or very stable or receiving concurrent medical monitoring. Dimension 3: EMOTIONAL, BEHAVIORAL OR COGNITIVE CONDITIONS AND COMPLICATIONS: None or very stable or receiving mental health monitoring. Dimension 4: READINESS TO CHANGE: Ready for recovery but needs motivation and monitoring strategies to strengthen readiness OR High severity in this dimension but not in other dimensions. Needs a Level I motivational enhancement program. Dimension 5: RELAPSE, CONTINUED USE OR CONTINUE PROBLEM POTENTIAL: Able to maintain abstinence or control use and pursue recovery or motivational goals with minimal support. Dimension 6: RECOVERY ENVIRONMENT: Recovery environment is not supportive but, with structure and support, the individual can cope.
Continued stay guidelines	 The individual is making progress but has not yet achieved the goals articulated in the individualized treatment plan. Continued treatment at this level of care is assessed as necessary to permit the individual to continue to work toward his or her treatment goals; The individual is not yet making progress, but has the capacity to resolve his or her problems. The individual is actively working toward the goals in the treatment plan; and/or New problems have been identified that are appropriately treated at this level of care. This level of care is the least intensive level of care at which the individual's new problems can be addressed effectively.